

## PA-IPA Isopropyl Alcohol Hygiene & Technical Cleaning Wipes

75 Wipes 42 x 14cm  
Kills 99.99% of bacteria and virus

70%  
ISOPROPANOL

These pre-saturated lint-free cleaning wipes are ideal for all-purpose cleaning, sanitising and degreasing.

### Applications

Excellent for cleaning and sanitising all surfaces including shopping trolleys, POS Systems, phones and office equipment. Safe for use on all electronic devices, including touch screens and cash handling equipment.

### Cleaning Applications

Ideal for general cleaning and sanitising. Kills 99.9% of bacteria and viruses. Excellent for removal of dirt, sticky deposits, inks, oxides and other contaminants. Safe for use on plastics and electronics.

PA-IPA Wipes are designed to clean currency counters from a wide range of manufacturers. Our wipes clean sensors and surfaces, including belts and rollers, removing more debris than other types of cleaning products.

MSDS: [prefectagencies.com.au/ipamsds](http://prefectagencies.com.au/ipamsds)

REORDER  
CODE:  
TECHWIPE



### For external use only

#### Instructions

Before use: Unscrew lid, remove and discard foil seal. Feed wipes through the dispenser lid from the centre, close lid securely.

To clean CSI image bars, sensors or screens use one movement across the surface ensuring that any wet residue is removed using a dry microfiber cloth.


Do not reuse wipe on any surface. Dispose of properly; do not flush. Single use.

Keep out of reach of children. Avoid contact with the eyes. In case of contact with the eyes, rinse immediately with plenty of water; if irritation persists, seek medical advice.

In case of ingestion, DO NOT induce vomiting but seek medical attention.

#### Ingredients

70% Isopropyl alcohol, 30% Deionised Water.



07 3700 4662  
[info@prefectagencies.com.au](mailto:info@prefectagencies.com.au)  
[www.prefectagencies.com.au](http://www.prefectagencies.com.au)

# Safety Data Sheet

## Hazardous, Dangerous Goods

### 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: **PA Techwipes( Isopropyl Alcohol Wipes 70%)**

Recommended use: For sanitising hard surfaces

Supplier: Prefect Agencies

Street Address: Unit 3,1 Stockwell Place, Archerfield Qld 4108

Telephone: +61 07 3700 4662

Emergency Telephone number: +61 07 3700 4662 (9 am - 5 pm Monday - Friday excluding public holidays)

### 2. HAZARDS IDENTIFICATION

Hazardous according to criteria of Safe Work Australia.

This safety data sheet describes the hazardous component of this product, which is the liquid that's absorbed onto the wipes.

#### Signal Word

Danger



#### Hazard Classifications

Flammable Liquids - Category 2

Serious Eye Irritation - Category 2A

Specific target organ toxicity - single exposure, central nervous system - Category 3

#### Hazard Statements

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

#### Prevention Precautionary Statements

- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P241 Use explosion-proof electrical, ventilating, lighting and all other equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P280 Wear eye protection.

#### Response Precautionary Statements

- P101 If medical advice is needed, have product container or label at hand.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.

*In relation to Precautionary Statement P303+P361+P353, consult Section 16 for additional information.*

#### Storage Precautionary Statement

- P403+P235 Store in a well-ventilated place. Keep cool

# Safety Data Sheet

## Disposal Precautionary Statement

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

**Poison Schedule:** Not Applicable

## DANGEROUS GOODS CLASSIFICATION

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

**Dangerous Goods Class:** 4.1

## 3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Propan-2-ol (also called isopropanol)	67-63-0	65 - 75 %
Water	-	Balance
		100%

## 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** In the event of significant inhalation of the vapours or mist, remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:** Excessive quantities of the product in contact with skin or hair should be immediately washed off with water, or by showering if necessary. If visible product is present on clothing, remove contaminated clothing and if necessary flush skin and hair under the clothing with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross contamination, immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water. For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters. If swelling, redness, blistering, or irritation occurs seek medical assistance.

**Eye contact:** If in eyes, hold eyelids apart and flush the eyes continuously with running water. Seek medical advice.

**Ingestion:** Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

**PPE for First Aiders:** Wear safety shoes, gloves, safety glasses and (if the product is extensively dispersed at the location of the patient) a respirator. Ensure there is adequate ventilation. If inhalation risk exists wear organic vapour mask meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. Always wash hands before smoking, eating or drinking. Wash contaminated clothing and other protective equipment before storing or re-using.

**Notes to physician:** Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Hazchem Code:** 1Z

**Suitable extinguishing media:** If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, dry agent (carbon dioxide, dry chemical powder).

**Product Name:** PA Isopropyl Alcohol Wipes

**Reference No:** TECHWIPEs

# Safety Data Sheet

**Specific hazards:** Highly flammable liquid and vapour. May form flammable vapour mixtures with air. Flameproof equipment necessary in area where this chemical is being processed if using in quantities greater than consumer packages. Electrical requirements for work area should be assessed according to AS3000. Vapour may travel a considerable distance to source of ignition and flash back. Avoid all ignition sources. All potential sources of ignition (open flames, pilot lights, furnaces, spark producing switches and electrical equipment etc) must be eliminated both in and near the work area. Do NOT smoke.

**Fire fighting further advice:** Heating can cause expansion or decomposition leading to rupture of containers. If safe to do so, remove containers from path of fire. Keep containers cool with water spray. On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

## 6. ACCIDENTAL RELEASE MEASURES

### SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or mist. Collect wipes and seal in properly labelled containers or drums for disposal.

### LARGE SPILLS

If safe to do so, shut off all possible sources of ignition. Clear area of all unprotected personnel. Clean up as soon as practical. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off of any rinse water into drains and waterways. If the clean-up requires a shovel, it should be a spark-free shovel. Collect wipes and seal in properly labelled containers or drums for disposal.

**Dangerous Goods - Initial Emergency Response Guide No: 133**

## 7. HANDLING AND STORAGE

**Handling:** Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

**Storage:** Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from animal feedstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition.

Keep containers closed when not in use.

This product has a Class 4.1 classification per the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and/or the "New Zealand NZS5433: Transport of Dangerous Goods on Land" and must be stored in accordance with appropriate regulations.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**National occupational exposure limits:**

	TWA		STEL		NOTICES
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
Propan-2-ol	400	983	500	1230	-

As published by Safe Work Australia.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as

**Product Name: PA Isopropyl Alcohol Wipes**

**Reference No: TECHWIPEs**

# Safety Data Sheet

fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely exposed during product manufacture.

**Biological Limit Values:** As per the document "Workplace Exposure Standards for Airborne Contaminants (Safe Work Australia)" the ingredients in this material do not have a biological limit allocated.

**Engineering Measures:** Ensure ventilation is adequate to maintain air concentrations below exposure limits. Use only in well ventilated areas. If using within confined areas (for example within a small area such as bathroom), ensure that ventilation is maximised, for example by leaving doors open. If necessary, use with local exhaust ventilation or while wearing appropriate respirator. Vapour heavier than air - prevent concentration in hollows or sumps. Do NOT enter confined spaces where vapour may have collected.

## Personal Protection Equipment:

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

When handling individual retail packages no personal protection equipment is required.

If handling open packages of the wipes on a large scale, wear safety shoes, gloves, safety glasses and (if working within a poorly ventilated area) a respirator. Use with adequate ventilation. If inhalation risk exists wear organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating or drinking. Wash contaminated clothing and other protective equipment before storing or re-using.

**Hygiene measures:** Keep away from food, drink and animal feedstuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols. If handling significant quantities of the product within a workplace, ensure that eyewash stations and safety showers are close to the workstation location.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Form:</b>	Fabric wipes with absorbed liquid (liquid is clear and colourless)
<b>Colour:</b>	White
<b>Odour:</b>	Characteristic odour of propan-2-ol

<b>Solubility:</b>	Miscible with water
<b>Specific Gravity:</b>	Approx. 1
<b>Relative Vapour Density (air=1):</b>	>1
<b>Vapour Pressure (20°C):</b>	N Av
<b>Flash Point (°C):</b>	22°C approx. (propan-2-ol)
<b>Lower Explosive Limit (%):</b>	2.0% (propan-2-ol)
<b>Upper Explosive Limit (%):</b>	13% (propan-2-ol)
<b>Autoignition Temperature (°C):</b>	N Av
<b>Melting Point/Range (°C):</b>	N Av
<b>Boiling Point/Range (°C):</b>	81 to 83°C (propan-2-ol)
<b>pH:</b>	N Av
<b>Viscosity:</b>	N Av
<b>Total VOC (g/Litre):</b>	N Av

(Typical values only - consult specification sheet)  
N Av = Not available, N App = Not applicable

# Safety Data Sheet

## 10. STABILITY AND REACTIVITY

**Chemical stability:** This material is thermally stable when stored and used as directed.

**Conditions to avoid:** Elevated temperatures and sources of ignition.

**Incompatible materials:** Oxidising agents, aluminium, halogenated compounds, acid anhydrides.

**Hazardous decomposition products:** Carbon monoxide and carbon dioxide.

**Hazardous reactions:** No known hazardous reactions.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### Acute Effects

**Inhalation:** No data available.

**Skin contact:** Prolonged contact with skin may result in irritation.

**Ingestion:** Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

**Eye contact:** An eye irritant.

### Acute toxicity

**Inhalation:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for mist

**Skin contact:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg bw

**Ingestion:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg bw

**Corrosion/Irritancy:** Eye: this material has been classified as a Category 2A eye irritant (reversible effects to eyes). Skin: this material has been classified as not corrosive or irritating to skin.

**Sensitisation:** Inhalation: this material has been classified as not being a respiratory sensitiser. Skin: this material has been classified as not being a skin sensitiser.

**Aspiration hazard:** This material has been classified as non-hazardous.

**Specific target organ toxicity (single exposure):** Inhalation, oral – may cause drowsiness or dizziness.

### Chronic Toxicity

**Mutagenicity:** This material has been classified as non-hazardous.

**Carcinogenicity:** This material has been classified as non-hazardous.

**Reproductive toxicity (including via lactation):** This material has been classified as non-hazardous.

**Specific target organ toxicity (repeat exposure):** This material has been classified as non-hazardous.

## 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways with rinse water of this product.

# Safety Data Sheet

**Acute aquatic hazard:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

**Long-term aquatic hazard:** This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K<sub>ow</sub> < 4.

**Ecotoxicity:** No information available.

**Persistence and degradability:** No information available.

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

## 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose of in accordance with local, regional, national and international Regulations.

## 14. TRANSPORT INFORMATION

### ROAD AND RAIL TRANSPORT

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

**UN Number:** 3175  
**Dangerous Goods Class:** 4.1  
**Packing Group:** II  
**Hazchem Code:** 1Z  
**Hazard Identification Number:** 40  
**Emergency Response Guide No:** 133



**Proper Shipping Name:** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

**Segregation Dangerous Goods:** Not to be loaded with explosives (Class 1), flammable gases (Class 2.1), if both are in bulk, spontaneously combustible substances (Class 4.2), oxidising agents (Class 5.1), organic peroxides (Class 5.2) or radioactive substances (Class 7). Exemptions may apply.

### MARINE TRANSPORT

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

**UN Number:** 3175  
**Dangerous Goods Class:** 4.1  
**Packing Group:** II



**Proper Shipping Name:** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

### AIR TRANSPORT

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**UN Number:** 3175  
**Dangerous Goods Class:** 4.1  
**Packing Group:** II



**Proper Shipping Name:** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

# Safety Data Sheet

## 15. REGULATORY INFORMATION

**This material is not subject to the following international agreements:**

Montreal Protocol (Ozone depleting substances)  
The Stockholm Convention (Persistent Organic Pollutants)  
The Rotterdam Convention (Prior Informed Consent)  
International Convention for the Prevention of Pollution from Ships (MARPOL)

**This material is subject to the following international agreements:**

Basel Convention (Hazardous Waste)

- Organic solvents excluding halogenated solvents

**This material/constituent(s) is covered by the following requirements:**

- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).

## 16. OTHER INFORMATION

Reason for issue: First Issue

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

Note concerning Precautionary Statement P303+P361+P353:

*It's recognised that this product consists of the liquid soaked into a fabric wipe and that it may come into contact with the skin on the hands. However, the liquid component is a flammable liquid that can be easily ignited and it's advised that if a visible quantity of the liquid remains on the skin then it should be washed off. A visible quantity of the liquid that persists on the skin, on hair or on clothing creates a flammability danger and based on this the precautionary statement should be followed. Showering may be necessary to remove the product from the hair.*

Note concerning Section 14 (Transport Information):

*This SDS describes the hazards associated with the liquid portion of the product. The liquid is absorbed onto a non-hazardous fabric. However, Section 14 considers the whole product as a transport unit and assigns the UN Number 3175, for which the shipping name "SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S." is designated.  
N.O.S. = "not otherwise specified".*

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.